

400 Seventh Street, S.W. Washington, D.C. 20590

JUL 2 0 2005

Pipeline and Hazardous Materials Safety Administration

DOT-E 13219 (THIRD REVISION)

EXPIRATION DATE: June 30, 2007

(FOR RENEWAL, SEE 49 CFR § 107.109)

1. GRANTEE: Solvay Chemicals, Inc. Houston, TX

(See Appendix A to this exemption for a list of additional grantees)

2. PURPOSE AND LIMITATION:

- a. This exemption authorizes the transportation in commerce of certain DOT specification tank cars, containing Division 5.1 or 5.2 materials, that have been inspected under a modified inspection program prior to being offered for transportation. This exemption provides no relief from the Hazardous Materials Regulations (HMR) other than as specifically stated herein.
- b. The safety analyses performed in development of this exemption only considered the hazards and risks associated with transportation in commerce.
- 3. REGULATORY SYSTEM AFFECTED: 49 CFR Parts 106, 107 and 171-180.
- 4. REGULATIONS FROM WHICH EXEMPTED: 49 CFR §§ 172.302(c) in that marking the exemption number on the tank cars is waived; and 173.31(d)(1)(vi) in that removal of the rupture disc for inspection is waived.

Continuation of DOT-E 13219 (3rd Rev.) JUL 2 0 2005 Page 2

5. BASIS: This exemption is based on the application of Solvay Chemicals, Inc., dated June 24, 2005 submitted in accordance with \$ 107.109.

6. HAZARDOUS MATERIALS (49 CFR § 172.101):

Hazardous Material Description				
Proper Shipping Name	Hazard Class/ Division	Identi- fication Number	Packing Group	
Hydrogen peroxide, stabilized or hydrogen peroxide aqueous solutions, stabilized with more than 60 percent hydrogen peroxide	5.1	UN2015	I	
Hydrogen peroxide, aqueous solutions, with more than 40 percent but not more than 60 percent hydrogen peroxide (stabilized as necessary)	5.1	UN2014	II	
Hydrogen peroxide, aqueous solutions, with not less than 20 percent but not more than 40 percent hydrogen peroxide (stabilized as necessary)	5.1	UN2014	II	
Organic peroxide type F, liquid (peroxyacetic acid)	5.2	UN3109	II	
Hydrogen peroxide and peroxyacetic acid mixtures, stabilized with acids, water and not more than 6 percent peroxyacetic acid	5.1	UN3149	II	

7. SAFETY CONTROL MEASURES:

a. <u>PACKAGING</u> - Packagings prescribed are DOT specification tank cars authorized by the Hazardous Materials Regulations for use in the shipment of the hazardous materials identified in paragraph 6 above. Tank cars must be equipped with rupture discs made of multiple layers of aluminum, Teflon and stainless steel.

b. $\underline{\text{TESTING}}$ - Each tank car operating under the terms of this exemption must be retested in accordance with § 180.509 no later than the due date of their next hydrostatic tank test.

c. OPERATIONAL CONTROLS -

- (1) Prior to offering, the shipper must conduct the visual inspection of each car in accordance with \$ 173.31(d)(1)(vi) except that the frangible disc is not required to be removed for inspection. All other applicable requirements of \$ 173.31 must be complied with.
- (2) Prior to each shipment, each tank car will be subjected to a pressure test of 10 psi for a minimum of 10 minutes to verify the rupture disc shows no sign of leakage. This leakage test requirement does not apply to shipment of tank cars containing residue at no more than 3 percent of the total volume.
- (3) Tank cars must be used exclusively for the hazardous materials specified in paragraph 6 of this exemption.

8. SPECIAL PROVISIONS:

- a. A person who is not a holder of this exemption who receives a package covered by this exemption may reoffer it for transportation provided no modifications or changes are made to the package and it is reoffered for transportation in conformance with this exemption and the HMR.
- b. A current copy of this exemption must be maintained at each facility where the package is offered or reoffered for transportation.
- c. The marking requirements of § 172.302(c) are waived.
- 9. MODES OF TRANSPORTATION AUTHORIZED: Rail freight.
- 10. MODAL REQUIREMENTS: None as a provision of this exemption.
- 11. <u>COMPLIANCE</u>: Failure by a person to comply with any of the following may result in suspension or revocation of this exemption and penalties prescribed by the Federal hazardous materials transportation law, 49 U.S.C. 5101 et seq:

- o All terms and conditions prescribed in this exemption and the Hazardous Materials Regulations, 49 CFR Parts 171-180.
- o Persons operating under the terms of this exemption must comply with the security plan requirement in Subpart I of Part 172 of the HMR, when applicable.
- o Registration required by § 107.601 et seq., when applicable.

Each "Hazmat employee", as defined in § 171.8, who performs a function subject to this exemption must receive training on the requirements and conditions of this exemption in addition to the training required by §§ 172.700 through 172.704.

No person may use or apply this exemption, including display of its number, when this exemption has expired or is otherwise no longer in effect.

12. REPORTING REQUIREMENTS: Shipments or operations conducted under this exemption are subject to the Hazardous Materials Incident Reporting requirements specified in 49 CFR §§ 171.15 - Immediate notice of certain hazardous materials incidents, and 171.16 - Detailed hazardous materials incident reports. In addition, the grantee(s) of this exemption must notify the Associate Administrator for Hazardous Materials Safety -- OHMEA, in writing, of any incident involving a package, shipment or operation conducted under terms of this exemption.

Issued in Washington, D.C.:

Robert A. McGuire

Associate Administrator for Hazardous Materials Safety

JUL 2 0 2005

(DATE)

Continuation of DOT-E 13219 (3rd Rev.) JUL 2 0 2005 Page 5

Address all inquiries to: Associate Administrator for Hazardous Materials Safety, Research and Special Programs Administration, Department of Transportation, Washington, D.C. 20590. Attention: PHH-31.

Copies of this exemption may be obtained by accessing the Hazardous Materials Safety Homepage at http://hazmat.dot.gov/exemptions Photo reproductions and legible reductions of this exemption are permitted. Any alteration of this exemption is prohibited.

PO: AM

Continuation DOT-E 13219 (3rd Rev.) APPENDIX A JUL 2 0 2005 Page 6

The following are hereby granted party status to this exemption based on their application(s) submitted in accordance with § 107.107 or § 107.109, as appropriate:

Company Name	Application	Issue	Expiration
City/State	Date	Date	Date
Arkema Inc.	Jun 28,	JUL 2 0 200	Jun 30,
Philadelphia, PA	2005		2007

Robert A. McGuire

Associate Administrator for Hazardous Materials Safety